STATE OF MONTANA

DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION

1424 9TH AVENUE P.O.BOX 201601 HELENA, MONTANA 59620-1601

GENERAL ABSTRACT

Water Right Number: 41H 126932-00 STATEMENT OF CLAIM

Version: 1 -- ORIGINAL RIGHT

Version Status: ACTIVE

Owners: VALLEY VIEW GOLF CLUB

302 E KAGY BLVD BOZEMAN, MT 59715

Priority Date: APRIL 30, 1959

Enforceable Priority Date: APRIL 30, 1959

Type of Historical Right: FILED

Purpose (use): IRRIGATION

Irrigation Type: SPRINKLER

Maximum Flow Rate: 675.00 GPM

Maximum Volume: THE TOTAL VOLUME OF THIS WATER RIGHT SHALL NOT EXCEED THE AMOUNT

PUT TO HISTORICAL AND BENEFICIAL USE.

Climatic Area: 4 - MODERATELY LOW

Maximum Acres: 127.00

Source Name: UNNAMED TRIBUTARY OF NASH SPRING CREEK

Source Type: SURFACE WATER

Point of Diversion and Means of Diversion:

IDGovt LotQtr SecSecTwpRgeCounty1NESENW192S6EGALLATIN

Period of Diversion: APRIL 1 TO NOVEMBER 4

Diversion Means: HEADGATE

2 SESENW 19 2S 6E GALLATIN

Period of Diversion: APRIL 1 TO NOVEMBER 4

Diversion Means: HEADGATE

3 W2SENW 19 2S 6E GALLATIN

Period of Diversion: APRIL 1 TO NOVEMBER 4

Diversion Means: DAM

CLAIMANT HAS SECONDARY POINTS OF DIVERSION IN THE SENENW AND THE NWSWNE OF SEC 19 TWP 02S RGE 06E WHERE PUMPS ARE USED AS THE MEANS

OF DIVERSION.

Reservoir: OFF STREAM Reservoir Name #12 FAIRWAY RESERVOIR

Govt LotQtr SecSecTwpRgeCountySENENW192S6EGALLATIN

Diversion to Reservoir: DIVERSION # 1

Dam Height:6.00 FEETSurface Area:0.48 ACRESCurrent Capacity:4.40 ACRE-FEET

Reservoir: OFF STREAM Reservoir Name # 4 FAIRWAY RESERVOIR

Govt Lot Qtr Sec Sec Twp Rge County
SWNWNE 19 2S 6E GALLATIN

Diversion to Reservoir: DIVERSION # 1

Dam Height:10.00 FEETSurface Area:1.46 ACRESCurrent Capacity:7.30 ACRE-FEET

Reservoir: OFF STREAM Reservoir Name # 5 FAIRWAY RESERVOIR

Govt Lot Qtr Sec Sec Twp Rge County
W2SWNE 19 2S 6E GALLATIN

Diversion to Reservoir: DIVERSION # 1

Dam Height: 12.00 FEET
Surface Area: 1.92 ACRES
Current Capacity: 9.60 ACRE-FEET

Reservoir: ON STREAM Reservoir Name # 7 FAIRWAY RESERVOIR

Govt Lot Qtr Sec Sec Twp Rge County
W2SENW 19 2S 6E GALLATIN

Diversion to Reservoir: DIVERSION # 1

Dam Height: 3.00 FEET
Surface Area: 0.60 ACRES
Current Capacity: 0.90 ACRE-FEET

ALL OFF STREAM RESERVOIRS ARE ADDITIONALLY SUPPLIED WITH WATER FROM UNDERGROUND SPRINGS, ARE FLOW THROUGH, WITH NO INCIDENTAL PURPOSE.

Period of Use: APRIL 1 to NOVEMBER 4

Place of Use:

<u>ID</u>	Acres	Govt Lot	Qtr Sec	Sec	Twp	Rge	County
1	4.00		SESESW	18	2S	6E	GALLATIN
2	3.00		SWSWSE	18	2S	6E	GALLATIN
3	20.00		NWNE	19	2S	6E	GALLATIN
4	30.00		NENW	19	2S	6E	GALLATIN
5	29.00		SENW	19	2S	6E	GALLATIN
6	36.00		SWNE	19	2S	6E	GALLATIN
7	5.00		W2SENE	19	2S	6E	GALLATIN

Total: 127.00

Geocodes/Valid: 06-0799-18-3-05-02-0000 - Y 06-0799-19-1-01-01-0000 - Y

Remarks:

THE WATER RIGHTS FOLLOWING THIS STATEMENT ARE SUPPLEMENTAL WHICH MEANS THE RIGHTS HAVE OVERLAPPING PLACES OF USE. THE RIGHTS CAN BE COMBINED TO IRRIGATE ONLY OVERLAPPING PARCELS. EACH RIGHT IS LIMITED TO THE FLOW RATE AND PLACE OF USE OF THAT INDIVIDUAL RIGHT. THE SUM TOTAL VOLUME OF THESE WATER RIGHTS SHALL NOT EXCEED THE AMOUNT PUT TO HISTORICAL AND BENEFICIAL USE.

126926-00 126927-00 126928-00 126929-00 126930-00 126931-00 126932-00

126933-00 138764-01

STARTING IN 2008, PERIOD OF DIVERSION WAS ADDED TO MOST CLAIM ABSTRACTS, INCLUDING THIS ONE.

THE TIMELY FILED OBJECTION OF DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION WAS AMENDED BY AGREEMENT OF THE PARTIES TO INCLUDE SOURCE AND POINT OF DIVERSION. BECAUSE THESE ELEMENTS WERE NOT INCLUDED ON THE OBJECTION LIST, ANY WATER USER WHOSE RIGHTS MAY BE ADVERSELY AFFECTED BY ENFORCEMENT OF THESE CHANGES MAY PETITION THE APPROPRIATE COURT FOR RELIEF OR MAY FILE AN OBJECTION AT THE PRELIMINARY DECREE.

WHEN THIS CLAIM WAS ORIGINALLY DECREED, THE PERIOD OF DIVERSION WAS NOT INCLUDED AS AN ELEMENT OF THE CLAIM. IN 2008, THE PERIOD OF DIVERSION ELEMENT WAS ADDED TO ALL CLAIM ABSTRACTS. IT IS NOT CERTAIN IF THE PERIOD OF DIVERSION DATES ADDED TO THIS CLAIM ACCURATELY REFLECT THE HISTORICAL PERIOD OF DIVERSION. MORE INFORMATION IS REQUIRED.