

DESCRIPTION - LOT A
(To Be Obtained From The Wilsall Fire District)

A tract of land located in the SW 1/4 of Section 24, Township 3 North, Range 3 East, N.P.M., Park County, Montana, more particularly described as follows, to wit:

Beginning at the section corner common to Sections 24 and 25 of Township 3 North, Range 3 East, N.P.M., and Sections 19 and 20 of Township 3 North, Range 3 East, N.P.M., all in Park County, Montana; thence N 21° 27' 05" W along the township line common to the aforesaid Sections 19 and 24 a distance of 1,192.77 feet to Corner No. 11; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 12; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 13; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 14; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 15; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 16; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 17; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 18; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 19; thence S 82° 07' 20" W a distance of 1,192.77 feet to the true point of beginning.

Said tract contains an area of 14,900 square feet or 0.341 acres, more or less. All bearings are referred to the record bearing of N 21° 27' 05" W between stone monuments set at the intersections of Ordway St. and Shields St. and Ordway St. and Clark St., respectively, of the original townsite of Wilsall, Montana located in Section 19, Township 3 North, Range 3 East, N.P.M., Park County.

DESCRIPTION - LOT B
(To Be Obtained From Clarence E. and Jarlene M. Walton)

A tract of land located in the SW 1/4 of Section 19, Township 3 North, Range 3 East, N.P.M., Park County, Montana, more particularly described as follows, to wit:

Beginning at the section corner common to Sections 19 and 20 of Township 3 North, Range 3 East, N.P.M., and Sections 14 and 15 of Township 3 North, Range 3 East, N.P.M., all in Park County, Montana; thence N 21° 27' 05" W along the township line common to the aforesaid Sections 19 and 24 a distance of 1,192.77 feet to Corner No. 11; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 12; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 13; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 14; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 15; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 16; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 17; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 18; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 19; thence S 82° 07' 20" W a distance of 1,192.77 feet to the true point of beginning.

Said tract contains an area of 22,895.15 square feet or 0.526 acres, more or less. All bearings are referred to the record bearing of N 21° 27' 05" W between stone monuments set at the intersections of Ordway St. and Shields St. and Ordway St. and Clark St., respectively, of the original townsite of Wilsall, Montana located in the aforesaid Section 19.

DESCRIPTION - LOT C
(Clarence E. and Jarlene M. Walton)

A tract of land located in the SW 1/4 of Section 19, Township 3 North, Range 3 East, N.P.M., Park County, Montana, more particularly described as follows, to wit:

Beginning at the section corner common to Sections 24 and 25 of Township 3 North, Range 3 East, N.P.M., and Sections 19 and 20 of Township 3 North, Range 3 East, N.P.M., all in Park County, Montana; thence N 21° 27' 05" W along the township line common to the aforesaid Sections 19 and 24 a distance of 1,192.77 feet to Corner No. 11; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 12; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 13; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 14; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 15; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 16; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 17; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 18; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 19; thence S 82° 07' 20" W a distance of 1,192.77 feet to the true point of beginning.

EXCEPTING THEREFROM a strip of land, 10 feet in width, along the easterly boundary of the above described tract of land for a perpetual right-of-way easement for an alleyway as recorded in Vol. 105, p. 587 of the deed records of the Clerk and Recorder of the aforesaid Park County and more simply described as follows, to wit: Beginning at Corner No. 1 hereinabove mentioned; thence S 07° 58' 05" E a distance of 459.67 feet to Corner No. 7 set on the westerly projection of the southerly boundary of Shields St. of the aforesaid original townsite of Wilsall, Montana; thence S 82° 07' 20" W a distance of 459.67 feet to Corner No. 8; thence S 82° 07' 20" W a distance of 459.67 feet to Corner No. 9; thence S 82° 07' 20" W a distance of 459.67 feet to Corner No. 10; thence S 82° 07' 20" W a distance of 459.67 feet to Corner No. 11; thence S 82° 07' 20" W a distance of 459.67 feet to Corner No. 12; thence S 82° 07' 20" W a distance of 459.67 feet to Corner No. 13; thence S 82° 07' 20" W a distance of 459.67 feet to Corner No. 14; thence S 82° 07' 20" W a distance of 459.67 feet to Corner No. 15; thence S 82° 07' 20" W a distance of 459.67 feet to Corner No. 16; thence S 82° 07' 20" W a distance of 459.67 feet to Corner No. 17; thence S 82° 07' 20" W a distance of 459.67 feet to Corner No. 18; thence S 82° 07' 20" W a distance of 459.67 feet to Corner No. 19; thence S 82° 07' 20" W a distance of 459.67 feet to the true point of beginning.

The private road hereinabove referred to is more particularly described as follows, to wit: Beginning at Corner No. 10; thence N 01° 27' 05" W along the township line common to Sections 19 and 24 hereinabove described a distance of 12.11 feet to Corner No. 11; thence N 85° 31' 40" E a distance of 15.97 feet to Corner No. 12; the point of tangency; thence along a curve to the left with a radius of 147.00 feet through a central angle of 96° 28' 11.41 feet to Corner No. 13; thence S 37° 17' 40" W a distance of 99.95 feet to Corner No. 14; the point of curvature; and from which the aforesaid Corner No. 12 bears S 37° 17' 40" W a distance of 99.95 feet; thence N 10° 56' 20" W a distance of 378.61 feet to Corner No. 20 set on the southerly boundary of the county road hereinabove defined by the westerly projection of the boundaries of Clark St. of the original townsite of Wilsall, Montana; thence S 27° 53' 35" E a distance of 459.67 feet to Corner No. 19; thence S 82° 07' 20" W a distance of 459.67 feet to Corner No. 18; thence S 82° 07' 20" W a distance of 459.67 feet to Corner No. 17; thence S 82° 07' 20" W a distance of 459.67 feet to Corner No. 16; thence S 82° 07' 20" W a distance of 459.67 feet to Corner No. 15; thence S 82° 07' 20" W a distance of 459.67 feet to Corner No. 14; thence S 82° 07' 20" W a distance of 459.67 feet to Corner No. 13; thence S 82° 07' 20" W a distance of 459.67 feet to Corner No. 12; thence S 82° 07' 20" W a distance of 459.67 feet to Corner No. 11; thence S 82° 07' 20" W a distance of 459.67 feet to Corner No. 10; thence S 82° 07' 20" W a distance of 459.67 feet to the true point of beginning.

The total area of the tract hereinabove described is 48,007.01 square feet or 1.102 acres, more or less. The net area, less the perpetual right-of-way easement for an alleyway and the right-of-way of the private road hereinabove described, is 47,491.5 square feet or 1.084 acres, more or less. All bearings are referred to the record bearing of N 21° 27' 05" W between stone monuments set at the intersections of Ordway St. and Shields St. and Ordway St. and Clark St., respectively, of the original townsite of Wilsall, Montana located in the aforesaid Section 19.

DESCRIPTION - LOT D
(Clarence E. and Jarlene M. Walton)

A tract of land located in the SW 1/4 of Section 19, Township 3 North, Range 3 East, N.P.M., Park County, Montana more particularly described as follows, to wit:

Beginning at the stone set at the intersection of Clark St. and Ordway St. of the original townsite of Wilsall, Montana; thence S 07° 58' 05" E a distance of 459.67 feet to a point; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 3 set at the northwesterly corner of a 130-foot by 130-foot tract of land now or formerly owned by Howard W. and Vyda T. Sigelow and recorded in Vol. 113, p. 517 of the deed records of the Clerk and Recorder of the aforesaid Park County; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 4; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 5; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 6; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 7; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 8; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 9; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 10; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 11; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 12; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 13; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 14; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 15; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 16; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 17; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 18; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 19; thence S 82° 07' 20" W a distance of 1,192.77 feet to the true point of beginning.

Said tract contains an area of 1,900.00 square feet or 0.043 acres, more or less. All bearings are referred to the record bearing of N 07° 58' 05" E between stone monuments set at the intersections of Ordway St. and Shields St. and Ordway St. and Clark St., respectively, of the original townsite of Wilsall, Montana located in the aforesaid Section 19.

DESCRIPTION - LOT E
(Clarence E. and Jarlene M. Walton)

A tract of land located in the SW 1/4 of Section 19, Township 3 North, Range 3 East, N.P.M., Park County, Montana, more particularly described as follows, to wit:

Beginning at the stone set at the intersection of Clark St. and Ordway St. of the original townsite of Wilsall, Montana; thence S 07° 58' 05" E a distance of 459.67 feet to a point; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 3 set at the northwesterly corner of a 130-foot by 130-foot tract of land now or formerly owned by Howard W. and Vyda T. Sigelow and recorded in Vol. 113, p. 517 of the deed records of the Clerk and Recorder of the aforesaid Park County; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 4; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 5; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 6; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 7; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 8; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 9; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 10; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 11; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 12; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 13; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 14; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 15; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 16; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 17; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 18; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 19; thence S 82° 07' 20" W a distance of 1,192.77 feet to the true point of beginning.

Said tract contains an area of 13,955.39 square feet or 0.320 acres, more or less. All bearings are referred to the record bearing of N 07° 58' 05" E between stone monuments set at the intersections of Ordway St. and Shields St. and Ordway St. and Clark St., respectively, of the original townsite of Wilsall, Montana located in the aforesaid Section 19.

LOT F - CORRECTED DEED DESCRIPTION D.R. 44, p. 127 AND D.R. 55, p. 3
(Township Questionable - See Surveyor's Comments)

A tract of land located in the SW 1/4 of Section 19, Township 3 North, Range 3 East, N.P.M., Park County, Montana, more particularly described as follows, to wit: Beginning at the intersection of Clark St. and Ordway St. of the original townsite of Wilsall, Montana; thence S 07° 58' 05" E a distance of 459.67 feet to a point; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 3 set at the northwesterly corner of a 130-foot by 130-foot tract of land now or formerly owned by Howard W. and Vyda T. Sigelow and recorded in Vol. 113, p. 517 of the deed records of the Clerk and Recorder of the aforesaid Park County; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 4; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 5; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 6; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 7; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 8; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 9; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 10; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 11; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 12; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 13; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 14; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 15; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 16; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 17; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 18; thence S 82° 07' 20" W a distance of 1,192.77 feet to Corner No. 19; thence S 82° 07' 20" W a distance of 1,192.77 feet to the true point of beginning.

Said tract contains an area of 13,955.39 square feet or 0.321 acres, more or less. All bearings are referred to the record bearing of N 07° 58' 05" E between stone monuments set at the intersections of Ordway St. and Shields St. and Ordway St. and Clark St., respectively, of the original townsite of Wilsall, Montana located in the aforesaid Section 19.

DEED DESCRIPTIONS - LOTS "A" THROUGH "F" AS IDENTIFIED ON SHEET 1 OF 2 OF "A SURVEY OF CERTAIN TRACTS OF LAND NEAR THE TOWNSITE OF WISALL FOR THE PARK ELECTRIC COOPERATIVE, INC."

COUNTY OF PARK RECORDER'S PLAT STATE OF MONTANA

REMARKS CERTIFICATE OF THE COUNTY CLERK AND RECORDER CERTIFICATE OF APPROVAL BY THE BOARD OF COUNTY COMMISSIONERS CERTIFICATE OF SURVEY State of Montana, I, Thomas J. Hallin, a Professional Engineer and Land Surveyor hereby certify that I have compiled the accompanying Recorder's Plat from data on record and information obtained during a survey made by me on the County of Park, State of Montana, on the 19th day of March, 1971, and that to the best of my knowledge, the survey is true and complete as shown, that all stakes, monuments and marks, together with any found, are sufficient to enable the survey to be retraced. In Witness Whereof, I have hereunto set my hand and affixed my official seal this 20th day of March, 1971, A.D. Thomas J. Hallin, P.E. Certificate of Registration Montana No. 28723

157-157

Drawn By: Hallin, T.J. Date: 3-17-71 Sheet 2 of 2